



MODEL	TYPE	HEAT LOAD KCAL/HR	OIL FLOW (LPM)	WATER FLOW (LPM)	A	B	C	E	F	G	H	O	D	N1 & N2 Size	N3 & N4 Size
ROC 2	4 X 18	1500	9	15	530	70	320	130	112	152	275	190	58	0.75" BSP	1 BSP
ROC 3	4 X 20	2400	15	24	580	70	365	130	112	152	305	190	58	0.75" BSP	1" BSP
ROC 5	4 X 24	3000	18	30	680	90	426	130	112	152	370	190	58	1" BSP	1" BSP
ROC 7.5	4 X 30	5000	30	42	830	90	582	130	112	152	460	190	58	1" BSP	1" BSP
ROC 10	6 X 18	6000	36	50	560	80	300	150	152	205	275	235	90	1" BSP	1.5" BSP
ROC 15	6 X 24	10500	62	90	715	80	348	150	152	205	370	235	90	1.5" BSP	1.5" BSP
ROC 20	6 X 30	13500	80	130	865	80	602	150	152	205	460	235	90	1.5" BSP	1.5" BSP
ROC 25	6 X 36	18000	110	170	1020	100	562	150	152	205	550	235	90	1.5" BSP	1.5" BSP
ROC 30	8 X 24	24000	145	210	720	100	410	210	203	254	370	280	115	1.5" BSP	2" BSP
ROC 40	8 X 24	32000	190	280	720	100	410	210	203	254	370	280	115	1.5" BSP	2" BSP
ROC 50	8 X 48	34000	205	290	1330	100	1019	210	203	254	730	280	115	2" BSP	2" BSP
ROC 60	8 X 54	38000	225	340	1480	100	1170	210	203	254	820	280	115	2" BSP	2" BSP
ROC 70	8 X 60	45000	270	380	1630	125	1275	210	203	254	915	280	115	2" BSP	2" BSP
ROC 80	8 X 64	60000	360	510	1736	125	1376	210	203	254	975	280	115	2" BSP	2" BSP

Title: Oil Cooler